

Strong

Technical features

Thickness	12 mm
Clip system	5G
V-grooves	On the 4 sides
Panel	HDF
Texture	Matt textured * In-registered ** In-registered heliochrome texture ***
Class of use	23/33
Abrasion resistance	AC5
Logistics	Dimensions : 1286 x 214 mm
	1 kit = 6 planks = 1.65 sqm
	sqm / pallet = 79.30 sqm
	1 pallet = 48 kits
	kit weight = 18,1 kg
Pallet weight	869 kg
Warranty	25 years
Number of designs	16
Fire resistance	CFL S1
Formaldehyde rate	E1
Resistance to chemical agents - EN 438-2-26	Group 1/2 : 5 - Group 3 : 4
Resistance to cigarettes burns - EN 438-2-18	Degree 4
Resistance to light effect EN 438-2-16	Degree ≥ 6
Thermal resistance sqm K/W	≤ 0,15

NEW !



* A VOC rating expresses the amount of volatile material in the interior air which may present a health hazard when inhaled. It is measured on a scale from A+ (very low emissions) to C (high emissions)

Strong

 Decors


2023




162 VICTORY
OAK *

Ref : 573197
Gen : 3512485731975



437 DURBAN **

Ref : 537968
Gen : 3512485379689



504 GINGER **

Ref : 520128
Gen : 3512485201287



514 ADAMS **

Ref : 544662
Gen : 3512485446626



526 PABLO *

Ref : 564475
Gen : 3512485644756



535 CAJUN OAK **

Ref : 522757
Gen : 3512485227577



536 LONG
ISLAND **

Ref : 522758
Gen : 3512485227584



541 MONT
BLANC **

Ref : 537768
Gen : 3512485377685



562 COLORADO
OAK *

Ref : 573200
Gen : 3512485732002



564 AGATA *

Ref : 573201
Gen : 3512485732019

Matt textured *

In-registered **

In-registered heliochrome texture ***

Strong

 Decors

2023



619 SARDINIA
OAK ***

Ref : 522723
Gen : 3512485227232



621 CANARIES
OAK ***

Ref : 522738
Gen : 3512485227386



628 SYRACUSA
OAK ***

Ref : 522754
Gen : 3512485227546



701 ORION **

Ref : 564544
Gen : 3512485645449



703 PEGASUS **

Ref : 564545
Gen : 3512485645456



705 ODYSSEY **

Ref : 573199
Gen : 3512485731999

Matt textured *

In-registered **

In-registered heliochrome texture ***